

IN THE CLAIMS

Please amend claims 1, 3, 6, and 11 as follows:

---

1. (Currently Amended) In a data processing environment having a user with a user identifier, which uniquely identifies said user, at a [[user]] terminal at a particular site which generates a service request requesting access to secure data responsively coupled via a publically accessible digital data communication network to a data base management system having at least one data  
5 base containing said secure data, the improvement comprising:

a site specific security profile corresponding to said particular site of said [[user]] terminal  
whereby said data base management system permits said user to access said secure data  
F1 from said at least one data base from said [[user]] terminal at said particular site without  
transfer of said user identifier uniquely identifying said user via said publically accessible  
10 digital data communication network.

2. (Previously presented) The improvement according to claim 1 wherein said site specific security profile is generated by said data base management system.

3. (Currently Amended) The improvement according to claim 2 further comprising a ~~special~~  
~~field responsively coupled to~~ portion of said service request whereby said data base management  
15 system receives ~~said special field and generates said security profile~~ an identifier corresponding to  
said particular site.

4. (Original) The improvement according to claim 3 wherein said publically accessible digital data communication network further comprises the Internet.

5. (Original) The improvement according to claim 4 wherein said data base management system is MAPPER.

5 6. (Currently Amended) An apparatus comprising:

a. a [[user]] terminal located at a particular location having a user with a user identifier which identifies said user;

FL b. a data base management system having access to a data base responsively coupled to said user terminal via a publically accessible digital data communication network; and

10 c. a location specific security profile generated by said data base management system corresponding to said particular location whereby said data base management system provides access to a particular secure portion of said data base corresponding to said location specific security profile without transfer of said user identifier via said publically accessible digital data communication network.

15 7. (Currently Amended) The apparatus of claim 6 wherein said [[user]] terminal accesses said data base by transferring a service request to said data base management system.

8. (Currently Amended) The apparatus of claim 7 wherein said service request further comprises a special ~~field~~ portion corresponding to said particular location.

9. (Original) The apparatus of claim 8 wherein said data base management system further comprises MAPPER.

10. (Original) The apparatus of claim 9 wherein said publically accessible digital data communication network further comprises the world wide web.

5 11. (Currently Amended) A method of utilizing a [[user]] terminal having a user with a user identifier which identifies said user located at a particular site to securely access a remote data base management system having a data base via a publically accessible digital data communication network comprising:

- F1
- a. signing on to said [[user]] terminal by said user utilizing said user identifier;
  - 10 b. transmitting a service request requiring secure access to said data base from said [[user]] terminal without transferring said user identifier;
  - c. receiving said service request by said remote data base management system;
  - d. determining a site specific security profile corresponding to said particular site;
  - e. comparing said site specific security profile with said service request; and
  - 15 f. honoring said service request if and only if said service request corresponds to said site specific security profile.

12. (Currently Amended) A method according to claim 11 wherein said transmitting step further comprises transmitting a ~~special field~~ portion of said service request identifying said particular site.

13. (Currently Amended) A method according to claim 12 wherein said determining step further comprises generating said security profile corresponding to said portion of said service request special field.

14. (Original) A method according to claim 13 wherein said publically accessible digital data communication network further comprises the Internet.

15. (Original) A method according to claim 14 wherein said remote data base management system further comprises the MAPPER data base management system.

F1  
16. (Previously presented) An apparatus comprising:

a. means located at a site for permitting a user having a user identifier to interact with a data base responsively coupled via a publically accessible digital data communication network;

b. means responsively coupled to said permitting means via said publically accessible digital data communication network for offering data processing services involving access to said data base in response to said service request;

c. means responsively coupled to said offering means for preventing said offering means from offering said data processing services to said user in response to said service request unless said site corresponds to a security profile wherein said security profile permits access to said data base without access to said user identifier.

17. (Original) An apparatus according to claim 16 wherein said publically accessible digital data communication network further comprises the Internet.

18. (Currently Amended) An apparatus according to claim 17 wherein said permitting means further comprises means for transmitting a ~~special field~~ a portion of said service request corresponding to said site.

F1  
5 19. (Original) An apparatus according to claim 18 wherein said offering means further comprises MAPPER data base management system.

20. (Original) An apparatus according to claim 19 wherein said permitting means further comprises an industry standard personal computer.

---